Notice of Allowability	Application No.	Applicant(s)
	09/932,405	YOSHIDA, AKIRA
	Examiner	Art Unit
	Kim Huynh	2182
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>inverview on 2/2/05.</u>		
2.  The allowed claim(s) is/are <u>1-12.</u>		
3. The drawings filed on are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> </ul>		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. ☑ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		. *
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Notice of Informal Page	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1 1/10 2	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendm	
4. ☐ Examiner's Comment Regarding Requirement for Deposit	_	nt of Reasons for Allowance
of Biological Material	9.  Other	

Art Unit: 2182

## **EXAMINER'S AMENDMENT/COMMENTS**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Robert C. Colwell on February 02, 2005.

- 2. The application has been amended as follows:
  - a. Claim 1, line 14, after "mean", delete - (thick line) -;
  - b. Claim 1, line 17, after "mean", delete - (thick line) -;
  - c. Claim 2, line 14, after "mean", delete - (thick line) -;
  - d. Claim 2, line 17, after "mean", delete - (thick line) -;
- 3. Fig. 2 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures.

Page 3

## Allowable Subject Matter

4. The following is an examiner's statement of reasons for allowance:

Claims 1-2 and 12 recite, inter alia, a method and disk array control apparatus having a plurality of disk array control units each having a cache memory and a shared memory wherein the cache memories are connected via a connection network and the shared memories are connected via another connection network, in addition to the connections of channel interface, disk interface with the cache memories and the shared memories, to enable data transfer between shared memory among the disk array control units and via the specified method.

The references of record do not teach or suggest the aforementioned limitation, nor would it be obvious to modify those references to include such limitation.

- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim Huynh whose telephone number is (571) 272-4147.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2182

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kim Huynh

Primary Examiner Art Unit 2182

KH 2/2/05